

AZ-CSDP80R2

Cyrstal Series

Vandalproof IR Dome Camera



Key Features

- IR Vandalproof Dome Camera
- High sensitive CMOS Sensor 800TVL
- IR LED: 23 pcs. IR LED, IR Distance: 20 Meters
- Lens: 3.6/6mm Fixed Lens Option
- One-screw easy installation design

Technical Specification

AZ-CSDP80R2	
VIDEO	
Image Device	1/3" High Sensitive CMOS 800TVL
TV System	PAL/NTSC
Total Pixel	PAL: 967Hx582V NTSC: 967Hx494V
Horizontal Resolution	Up to 700TVL
Mini Illumination	0 Lux (LED ON)
S/N Ratio	>50dB
Scanning System	2:1 Interlace
SYNC Mode	Internal
Video Output	1Vp-p, 75Ω, BNC
OPERATIONAL	
Electronic Shutter	PAL: 1/50 – 1/100,000sec; NTSC: 1/60 – 1/100,000sec
BLC (Backlight Compensation)	Auto
Day & Night	Auto
White Balance	Auto
Gain Control	Auto
Infrared Spectrum	850nm
IR Range	20 Meters
IR LED	23 pcs.
LENS	
Focal Length	3.6/6mm Fixed Lens Option
Regular Field of View	D: 94.26° H: 79.37° V: 69.8°
ENVIRONMENTAL	
Operation Temperature	-10°C – +50°C
Storage Temperature	-20°C – +60°C
ELECTRICAL	
Input Voltage /Current	DC12V 400mA
MECHANICAL	
Color	White
Dimension (mm)	Ø80(H)x94(D)mm
Net Weight	370g