



OCI-AS20H

IP-CAMERA



2M Pixels

Key Features

- Image Sensor IMX228
- Main Processor A5S66
- 1080P
- Effective Pixels 1920(H) x 1080(V)
- Noise Reduction 3DNR
- Night Vision Infrared LED 5X36PCS
- Usable Illumination 0.01Lux
- Focus Length 3.6mm
- WDR NO
- Dimension 177(W)x76(H)x74(D)mm

Technical Specification

Image Sensor	IMX222
Main processor	A5S66
Resolution	1080P
Effective Pixels	1920(H)*1080(V)
TV System	PAL/NTSC
Electronic Shutter Time	Auto: PAL 1/1-1/10000Sec; NTSC 1/1-1/10000Sec
Sync System	Internal
Usable Illumination	0.01Lux
S/N Ratio	≥52dB
Gamma Correction	
Scanning System	Progressive
Video Output	Network
Lens	
Focus Length	3.6mm
Lens Type	Fixed
NIGHT VISION	
Infrared LED	5X36PCS
Infrared Distance	30M
IR Status	Under 10 Lux By CDS
IR Power On	CDS Auto Control
CAMERA FEATURES	
Day/Night	Color/ B&W (IR-CUT)
Languages	CN, EN, FR, DE, JP, ES, PT, RU
Compression	H.264/JPEG,Support record AVI format.
Sense-up	
Image Config	Saturation/Brightness/Contrast /Sharpness, Mirror, 3D NR , White Balance, BLC, FLK(Flicker Control)
Motion Detection	Support
White Balance	
Gain Control	
Noise Reduction	
Privacy Masking	3 Rectangular Zone
WDR	NO
Power Source	DC12V±10%, 700mA
Dimension	177(W)x76(H)x74(D)mm
Weight	700g

NETWORK	
Ethernet	RJ-45 (10/100Base-T)
Protocol	IPv4, HTTP, TCP/IP, FTP, NTP, RTSP, UDP, SMTP, DNS, DDNS
ONVIF	Support ONVIF 2.4
P2P	YES, Support QR Code
POE	Optional, Support IEEE 802.3af
WIFI	N/A
Video Delay	0.3S (Within the Lan)
Main Stream	1920*1080
Sub Stream	704*576, 352*288
IE Brower	IE6-11
Smart Phone	iPhone, iPad, Android, Android Pad

(All trademarks, logos and copyrights are the property of their respective owners)